

# CONSTRUCTION ADHESIVES PRODUCT GUIDE

# Titebond®

THE PRO'S ADVANTAGE



# Titebond®

THE PRO'S ADVANTAGE





**ONE TRUSTED SOURCE**  
**TRUSTED BY PROFESSIONALS**

Beginning with the development of the first ready-to-use liquid hide glue in 1935, Franklin International established itself as an innovative leader in the woodworking and construction industry. Today, under the Titebond brand, we offer several different construction adhesives designed for a variety of applications. Builders and contractors depend on Titebond to deliver the most consistent and highest performing products to meet their demands. Utilizing an array of five different adhesive technologies, Titebond construction adhesives are tough, high performing, exceptionally durable and trusted by the professional.

**Titebond**  
**THE PRO'S ADVANTAGE**

**FAST SET**

**TITEGRAB**

**HEAVY DUTY**

**SUBFLOOR**

**DRYWALL**

**SPECIALTY**

**MULTI-USE**

**PANEL**

**MERCHANDISING**

**SKU INFO**

# FAST SET

**Construction Adhesive**

Titebond® Fast Set Polyurethane Adhesive is a one-component, advanced adhesive technology designed for the most demanding construction projects. It exhibits fast strength development and can bond non-porous materials together. Fast Set extrudes as a smooth bead that can be used in near-freezing temperatures.



Advanced Technology  
for **Stronger**  
**Faster**  
Results



## ULTIMATE Polyurethane

- Covered under the Lifetime Platinum Subfloor Warranty against subfloor squeaks and pops
- Advanced adhesive technology designed to build strength faster and stronger than other common construction adhesives
- Bonds most wet, frozen and treated building materials, including non-porous substrates
- Smooth, flexible, full-bodied adhesive bead that offers a permanent bond with minimal shrinkage and does not become brittle and crack
- Ideal for demanding interior & exterior construction, installation and repair projects
- Exhibits a low odor and will not drool, leading to higher yield per cartridge
- Class 1/8in., Type P/O subfloor adhesive in accordance with ASTM D3498-19

### Specifications:

- ASTM D3498-19
- APA AFG-01
- ASTM C557
- CAN/CGSB-71.25M
- CAN/CGSB-71.26M



### Ordering Information:

- **10 oz. Cartridge** (Part # 4221)  
Case UPC - 10037083042211  
Case Weight - 11.91 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 4222)  
Case UPC - 10037083042228  
Case Weight - 32.23 Pounds  
44 Packages Per Pallet



**Titebond**  
THE PRO'S ADVANTAGE

# TITEGRAB


## Construction Adhesive

Titebond® Ultimate TiteGrab Adhesive™ is an advanced polymer formula, specifically designed to decrease installation time of vertical and overhead applications with zero second instant grab. It holds heavy materials quickly, reducing time and amount of bracing, and ultimately achieves a strong, permanent bond to porous and non-porous substrates. This 100% waterproof, low odor formula is designed for both interior and exterior projects.

TITEGRAB



Bonds Most Materials  
**Instantly**  
Even on **Vertical**  
Surfaces



### ULTIMATE Advanced Polymer

- Advanced polymer formula designed to instantly bond virtually any material to vertical and overhead surfaces
- Reduces time and amount of bracing, significantly decreasing installation times
- Exhibits zero second instant grab and builds strength faster than traditional adhesives
- Bonds to common building materials and repositionable up to 10 minutes
- Used for hanging fiberglass insulation 2x faster than other adhesives
- Can instantly adhere a 17 lb. paver on a vertical surface when applied properly using 2.5 inches of adhesive per pound

### Premium TiteGrab Cartridge Gun (High Thrust Ratio of 25:1)

- Professional grade cartridge gun designed for TiteGrab Advanced Polymer Adhesive and high viscosity adhesives and sealants
- Ordering Information:**
- **9.5 oz. Cartridge** (Part # 6701)  
Case UPC - 10037083067016  
Case Weight - 13.64 Pounds  
132 Packages Per Pallet
  - **11.6 oz. Cartridge Gun** (Part # 17843)  
UPC - 037083178432  
Case UPC - 10037083178439  
6 Units Per Case



**Titebond**  
THE PRO'S ADVANTAGE

# HEAVY DUTY

## Construction Adhesives

Titebond® offers three premium-grade heavy duty adhesive formulas for more demanding interior and exterior construction, installation and repair projects. They provide strong grab, fill gaps and irregularities, and will remain permanently flexible. These professional strength formulas bond to most common building materials and pass ASTM D3498, APA AFG-01 and ASTM C557.

HEAVY DUTY



### Solvent-Based

- Covered by the 50 Year Gold Subfloor Warranty against subfloor pops and squeaks
- Strongest bond strength for the most demanding projects
- All weather, waterproof formula designed for extreme conditions
- Class 1/8in., Type P/O subfloor adhesive in accordance with ASTM D3498-19

### Specifications:

- ASTM D3498-19
- APA AFG-01
- ASTM C557

### Ordering Information:

- **10 oz. Cartridge** (Part # 5261)  
Case UPC - 10037083052616  
Case Weight - 10.11 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5262)  
Case UPC - 10037083052623  
Case Weight - 26.69 Pounds  
44 Packages Per Pallet
- **5 Gallon Pail** (Part # 5267)  
UPC - 037083052671  
Case Weight - 48.54 Pounds  
36 Packages Per Pallet
- **52 Gallon Drum** (Part # 5268)  
Case Weight - 506.14 Pounds  
4 Packages Per Pallet

Best Choice for All Around Use



### PROvantage

### VOC-Compliant Solvent

- Covered by the 50 Year Gold Subfloor Warranty against subfloor pops and squeaks
- Strong, durable bond that adheres wet, frozen and treated lumber
- VOC-compliant in all 50 states and can be easily extruded down to 0°F

### Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557



### Ordering Information:

- **10 oz. Cartridge** (Part # 5251)  
Case UPC - 10037083052517  
Case Weight - 11.73 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5252)  
Case UPC - 10037083052524  
Case Weight - 31.21 Pounds  
44 Packages Per Pallet

Best Choice for Extreme Temperatures



### GREENchoice

### Water-Based

- All-purpose versatility that adheres all common building materials
- Environmentally safe formulation that cures stronger than solvents and even the substrates themselves
- Cleans up easily with water in wet state

### Specifications:


- ASTM D3498
- APA AFG-01
- ASTM C557



### Ordering Information:

- **10 oz. Cartridge** (Part # 7471)  
Case UPC - 10037083074717  
Case Weight - 11.75 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 7472)  
Case UPC - 10037083074724  
Case Weight - 31.48 Pounds  
44 Packages Per Pallet
- **3.5 Gallon Pail** (Part # 7479)  
UPC - 037083074796  
Case Weight - 41.28 Pounds  
36 Packages Per Pallet

Best Choice for Dry Conditions



**Titebond**  
THE PRO'S ADVANTAGE

# SUBFLOOR

## Construction Adhesives

Titebond's® subfloor line of adhesives offers three professional strength formulas specifically designed for subfloor installations and general plywood use. They provide a permanent bond that remains flexible and reduces nailing. They offer strong initial tack, excellent bond strength and exceed the requirements of ASTM D3498 and/or APA AFG-01.



### Solvent-Based

- Covered by the 25 Year Silver Subfloor Warranty against subfloor pops and squeaks
- Designed for use in extreme weather conditions from 0-100°F
- Ideal for wet, frozen, engineered, ACA and CCA treated lumber
- Class 1/8in., Type P/O subfloor adhesive in accordance with ASTM D3498-19

### Specifications:

- ASTM D3498-19
- APA AFG-01
- ASTM C557
- CAN/CGSB-71.25M
- CAN/CGSB-71.26M

### Ordering Information:

- **10 oz. Cartridge** (Part # 5491)  
Case UPC - 10037083054917  
Case Weight - 10.91 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5492)  
Case UPC - 10037083054924  
Case Weight - 28.92 Pounds  
44 Packages Per Pallet



### PROvantage

#### VOC-Compliant Solvent

- Covered by the 25 Year Silver Subfloor Warranty against subfloor pops and squeaks
- Weatherproof formula that bridges gaps and irregularities in the subfloor
- VOC-compliant in all 50 states and can be easily extruded down to 0°F

### Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557



### Ordering Information:

- **10 oz. Cartridge** (Part # 5481)  
Case UPC - 10037083054818  
Case Weight - 11.71 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5482)  
Case UPC - 10037083054825  
Case Weight - 31.15 Pounds  
44 Packages Per Pallet
- **52 Gallon Drum** (Part # 5488)  
Case Weight - 616.35 Pounds  
4 Packages Per Pallet



### GREENchoice

#### Water-Based

- Reduces subfloor squeaks and the amount of nailing
- Highly water-resistant when dried and exhibits excellent aging qualities
- Environmentally safe formulation that is VOC-compliant and nonflammable


### Specifications:

- APA AFG-01
- ASTM C557



### Ordering Information:

- **28 oz. Cartridge** (Part # 4122)  
Case UPC - 10037083041221  
Case Weight - 31.34 Pounds  
44 Packages Per Pallet
- **52 Gallon Drum** (Part # 4128)  
Case Weight - 566.06 Pounds  
4 Packages Per Pallet



**Titebond**  
THE PRO'S ADVANTAGE

# DRYWALL

## Construction Adhesives

Titebond's® three drywall adhesive formulas are designed for installing drywall and paneling to most common building materials including wood and metal studs. They offer excellent adhesion, reduce fastener pops, and provide a "no sag" installation. Each adhesive exceeds the requirements of ASTM C557 and E72 for Racking and Shearing.



### Solvent-Based

- Offers a strong initial tack that allows panels to be positioned quickly without slipping
- All weather formulation that fills gaps and irregularities in the substrates
- Ideal for use on metal studs

### Specifications:

- ASTM C557
- E72 for Racking & Shearing
- CAN/CGSB-71.25M

### Ordering Information:

- 28 oz. Cartridge (Part # 5352)
- Case UPC - 10037083053521
- Case Weight - 31.21 Pounds
- 44 Packages Per Pallet



### PROvantage

### VOC-Compliant Solvent

- Ideal for metal studs and fills irregularities between materials to provide a more solid backup surface
- VOC-compliant in all 50 states and moisture resistant
- Resists aging and will not become hard or brittle over time

### Specifications:

- ASTM C557
- E72 for Racking & Shearing



### Ordering Information:

- 28 oz. Cartridge (Part # 5342)
- Case UPC - 10037083053422
- Case Weight - 31.21 Pounds
- 44 Packages Per Pallet



### GREENchoice

### Water-Based

- Excellent adhesive strength on a variety of substrates
- No harsh odor; can be cleaned easily with water in wet state
- Environmentally safe formulation that is VOC-compliant and nonflammable

### Specifications:

- ASTM C557
- E72 for Racking & Shearing



### Ordering Information:

- 28 oz. Cartridge (Part # 7272)
- Case UPC - 10037083072720
- Case Weight - 34.62 Pounds
- 44 Packages Per Pallet



**Titebond**  
THE PRO'S ADVANTAGE

# SPECIALTY

## Construction Adhesives

Titebond aims to provide solutions to common construction applications which has led to the development of four specialty construction adhesive products. These products meet the needs of select construction projects by exhibiting performance properties specific to that application.



### Solvent-Based

- Provides a strong, durable and permanent bond
- Adheres to wet and frozen landscape materials
- Resistant to water, frost and can be applied in extreme temperatures from 0-100°F

### Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557

### Ordering Information:

- **28 oz. Cartridge** (Part # 3132)  
Case UPC - 10037083031321  
Case Weight - 26.69 Pounds  
44 Packages Per Pallet



### PROvantage

### VOC-Compliant Solvent

- All weather formula to prevent shifting or loosening of substrates due to seasonal changes
- VOC-compliant in all 50 states and can be easily extruded down to 0°F
- Bridges gaps and is extremely effective when bonding irregular surfaces
- Designed for brick, stone, concrete, metal, wood, timber and slate

### Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557



### Ordering Information:

- **10 oz. Cartridge** (Part # 3121)  
Case UPC - 10037083331215  
Case Weight - 11.21 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 3122)  
Case UPC - 10037083031222  
Case Weight - 29.75 Pounds  
44 Packages Per Pallet

Best Choice for  
Extreme Temperatures



### GREENchoice

### Water-Based

- Designed for quick and easy installation of rubber and vinyl cove bases
- Exhibits a fast, strong grab that holds materials in place and eliminates sagging
- Bonds to all common wall surfaces

### Specifications:

- ASTM C557



### Ordering Information:

- **10 oz. Cartridge** (Part # 3401)  
Case UPC - 10037083034018  
Case Weight - 12.99 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 3402)  
Case UPC - 10037083034025  
Case Weight - 34.52 Pounds  
44 Packages Per Pallet
- **4 Gallon Pail** (Part # 3404)  
UPC - 037083034042  
Weight - 48.95 Pounds  
36 Packages Per Pallet

### GREENchoice

### Water-Based

- Designed for the safe and easy installation of acoustical ceiling tiles
- Exhibits a fast, strong grab that holds materials firmly in place and eliminates sagging
- Environmentally safe formulation that is VOC-compliant and nonflammable

### Specifications:

- ASTM D-1779
- NFPA Class A Fire Rated
- Meets CHPS Low Emitting Material Credit



### Ordering Information:

- **Gallon Pail** (Part # 2706)  
UPC - 037083027068  
Weight - 25.66 Pounds  
75 Packages Per Pallet
- **4 Gallon Pail** (Part # 2704)  
UPC - 037083027044  
Weight - 52.51 Pounds  
36 Packages Per Pallet





# MULTI-USE

## Construction Adhesives

Titebond® offers two versatile, multi-use formulas designed for general purpose applications. These formulas bond to a variety of common building materials and offer longer working times for precise assembly. These adhesives remain flexible throughout the life of the project.



### Solvent-Based

- Ideal for both interior and exterior projects, including foamboard installation
- Highly water resistant and can easily be extruded down to 0°F
- Offers up to a 10 minute working time for precise placement of materials

### Specifications:

- APA AFG-01
- ASTM C557

### Ordering Information:

- **10 oz. Cartridge** (Part # 3451)  
Case UPC - 10037083034513  
Case Weight - 11.1 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 3452)  
Case UPC - 10037083034520  
Case Weight - 29.31 Pounds  
44 Packages Per Pallet
- **52 Gallon Drum** (Part # 3458)  
Weight - 564.26 Pounds  
4 Packages Per Pallet



**Titebond**  
THE PRO'S ADVANTAGE

### GREENchoice

### Water-Based

- No odor formula ideal for a variety of interior applications
- Bonds common building materials including foamboard, plastics and tub surrounds
- Environmentally safe formulation that is VOC-compliant and nonflammable

### Specifications:

- ASTM C557



### Ordering Information:

- **10 oz. Cartridge** (Part # 5311)  
Case UPC - 10037083053118  
Case Weight - 13.1 Pounds  
108 Packages Per Pallet



**Titebond**  
THE PRO'S ADVANTAGE

# PANEL

## Construction Adhesives

Titebond offers three panel adhesive formulations to bond to a variety of substrates while exceeding the needs of panel installers. Each formulation offers a fast initial grab and moderate working time—giving installers the time they need to accurately trowel and place each panel. All three adhesives exceed ASTM C557, while Advanced Polymer Panel and Fast Grab FRP meet LEED v4, the highest green building benchmark.

### Solvent-Based

- Versatile, high-quality adhesive designed for the installation of a variety of paneling materials
- Provides excellent water-resistance and is unaffected by moisture and high humidity
- Trowels easily and offers a 30-minute working time for precise placement of materials

#### Specifications:

- ASTM C557

#### Ordering Information:

- **5 Gallon Pail** (Part # 3227)  
UPC - 037083032277  
Weight - 57.17 Pounds  
36 Packages Per Pallet



### GREENchoice

#### Advanced Polymer

- Advanced polymer, 100% solids formula that can bond virtually any material and is designed for a wide range of paneling installations
- Recommended for painted surfaces, existing FRP and paneling, mirrors, plastic, ceramic tile, wallpaper & more
- Exhibits a fast grab, trowels easily and has a rapid cure rate
- Moisture, mold and mildew resistant with no offensive odor
- One Pouch Per Panel - Innovative pouch packaging yields enough adhesive to cover a 4' x 8' panel

#### Specifications:

- NAHB Green Building
- LEED v4 / SCAQMD / CARB
- NFPA Class A Fire Rated
- ASTM C557



#### Ordering Information:

- **3.5 Gallon Pail** (Part # 4319)  
UPC - 037083043198  
Weight - 42.79 Pounds  
36 Packages Per Pallet
- **6 - 1/2 Gallon Pouches** (Part # 4315)  
Case UPC - 10037083043157  
Weight - 55.31 Pounds  
36 Packages Per Pallet



### GREENchoice

#### Water-Based

- Professional strength formula for the installation of FRP (fiber-reinforced plastics) panels over most porous surfaces
- Fast initial grab that reduces the need for extended bracing
- Nonflammable, no offensive odor and cleans easily with water when wet
- Cartridge offers easy application for small jobs and precise handling


#### Specifications:

- NAHB Green Building
- LEED v4 / SCAQMD / CARB
- NFPA Class A Fire Rated
- FDA and CFIA for Indirect Food Contact
- ASTM C557



#### Ordering Information:

- **28 oz. Cartridge** (Part # 4052)  
Case UPC - 10037083040521  
Case Weight - 34.63 Pounds  
44 Packages Per Pallet
- **4 Gallon Pail** (Part # 4054)  
UPC - 037083040548  
Weight - 50.58 Pounds  
36 Packages Per Pallet
- **Gallon Pail** (Part # 4056)  
UPC - 037083040562  
Weight - 24.7 Pounds  
75 Packages Per Pallet



**Titebond**  
THE PRO'S ADVANTAGE

# MERCHANDISING

Titebond offers a variety of merchandising opportunities to assist in the marketing, display and promotion of our construction adhesives offerings in store. These merchandisers are available to all customers and a Titebond representative will be able to order any of the materials shown below and assist in the set-up of any item. All items can be combined to best fit the needs of individual stores and situations.

All merchandisers are ordered on a first come, first serve basis while supplies lasts. Additional lead time should be expected if items are on back order.



**Vinyl Banner (60" w x 24" h)**

Can be displayed in-store to showcase the Titebond brand of construction adhesives



**10oz. Vertical Pusher Rack (12" w x 7" h x 14" d) Order # - 17986**

Five row pusher rack that holds 30 cartridges



**Counter Mat (18" w x 12" h)**

Display the Titebond construction adhesive line on counter space



**Adhesive Pallet Corners (2 per pallet)**

Fast Set product specific and Titebond branded pallet corners

10 oz. Fast Set Mini Pallet (27 cases) - 4221MP / 28 oz. Fast Set Mini Pallet (12 cases) - 4222MP



**Chain Signs**

Available on the online store



**10 oz. Cartridge Bin Basket (12" w x 8" h x 15.25" d) Order # - 17977**

One size fits all 10 oz. cartridges



**28 oz. Cartridge Bin Basket (18" w x 8" h x 15.25" d) Order # - 17956**

One size fits all 28 oz. cartridges



**Demo Boards**

Available on the online store



**10 oz. Shelf Cards (12" w x 3" h)**

Graphic cards that can be inserted into 10 oz. Vertical Pusher Racks and 10 oz. Cartridge Bin Baskets



**28 oz. Shelf Cards (17.75" w x 3" h)**

Graphic cards that can be inserted into 28 oz. Cartridge Bin Baskets

# SKU INFO

The chart below includes detailed information on each construction adhesive SKU to help guide the ordering process. Please contact your local Titebond representative or Titebond Customer Service at 1.800.669.4583 or [concustserv@franklininternational.com](mailto:concustserv@franklininternational.com) for questions or order placement.

	ADHESIVE NAME	PRODUCT NUMBER	PRODUCT UPC	CASE UPC	CASE QUANTITY	PRODUCT WEIGHT (Pounds)	CASE LENGTH (Inches)	CASE WIDTH (Inches)	CASE HEIGHT (Inches)	SHELF LIFE (Months)	PALLET QUANTITY	PALLET WEIGHT (Pounds)
<b>Solvent-Based</b>	TB Solvent-Based Heavy Duty (10 oz)	5261	0 37083 05261 9	100 37083 05261 6	12	10.11	8.125	6.25	11.63	18	108	1091.88
	TB Solvent-Based Heavy Duty (28 oz)	5262	0 37083 05262 6	100 37083 05262 3	12	26.69	8.125	10.75	16.75	18	44	1174.36
	TB Solvent-Based Heavy Duty (5 Gallon)	5267	0 37083 05267 1	N/A	1	48.54	12	12	14.5	18	36	1747.44
	TB Solvent-Based Subfloor (10 oz)	5491	0 37083 05491 0	100 37083 05491 7	12	10.91	8.125	6.25	11.63	18	108	1178.28
	TB Solvent-Based Subfloor (28 oz)	5492	0 37083 05492 7	100 37083 05492 4	12	28.92	8.125	10.75	16.75	18	44	1272.48
	TB Solvent-Based All Purpose (10 oz)	3451	0 37083 03451 6	100 37083 03451 3	12	11.1	8.125	6.25	12	18	108	1198.8
	TB Solvent-Based All Purpose (28 oz)	3452	0 37083 03452 3	100 37083 03452 0	12	29.31	8.125	10.75	16.75	18	44	1289.64
	TB Solvent-Based Drywall (28 oz)	5352	0 37083 05352 4	100 37083 05352 1	12	31.21	8.125	10.75	16.75	18	44	1373.24
	TB Solvent-Based Landscape (28 oz)	3132	0 37083 03132 4	100 37083 03132 1	12	26.69	8.125	10.75	16.75	18	44	1174.36
	TB Solvent-Based FRP (5 Gallon)	3227	0 37083 03227 7	N/A	1	57.17	12	12	14.5	24	36	2058.12
<b>PROvantage VOC-Compliant Solvent</b>	TB PROvantage Heavy Duty (10 oz)	5251	0 37083 05251 0	100 37083 05251 7	12	11.73	8.125	6.25	11.63	18	108	1266.84
	TB PROvantage Heavy Duty (28 oz)	5252	0 37083 05252 7	100 37083 05252 4	12	31.21	8.125	10.75	16.75	18	44	1248.4
	TB PROvantage Drywall (28 oz)	5342	0 37083 05342 5	100 37083 05342 2	12	31.21	8.125	10.75	16.75	18	44	1248.4
	TB PROvantage Subfloor (10 oz)	5481	0 37083 05481 1	100 37083 05481 8	12	11.71	8.125	6.25	11.63	18	108	1264.68
	TB PROvantage Subfloor (28 oz)	5482	0 37083 05482 8	100 37083 05482 5	12	31.15	8.125	10.75	16.75	18	44	1246
	TB PROvantage Landscape (10 oz)	3121	0 37083 03121 8	10037083031215	12	11.21	8.125	6.25	11.63	18	108	1210.68
	TB PROvantage Landscape (28 oz)	3122	0 37083 03122 5	10037083031222	12	29.75	8.125	10.75	16.75	18	44	1309
<b>GREENchoice Water-Based</b>	TB GREENchoice Heavy Duty (10 oz)	7471	0 37083 07471 0	100 37083 07471 7	12	11.75	8.125	6.25	11.63	18	108	1269
	TB GREENchoice Heavy Duty (28 oz)	7472	0 37083 07472 7	100 37083 07472 4	12	31.48	8.125	10.75	16.75	18	44	1385.12
	TB GREENchoice Heavy Duty (3.5 Gallon)	7479	0 37083 07479 6	N/A	1	41.28	12.5	12.5	11.75	18	36	1486.08
	TB GREENchoice Drywall (28 oz)	7272	0 37083 07272 3	100 37083 07272 0	12	34.62	8.125	10.75	16.75	24	44	1523.28
	TB GREENchoice Subfloor (28 oz)	4122	0 37083 04122 4	100 37083 04122 1	12	31.34	8.125	10.75	16.75	18	44	1378.96
	TB GREENchoice Cove Base (10 oz)	3401	0 37083 03401 1	100 37083 03401 8	12	12.99	8.125	6.25	12	18	108	1402.92
	TB GREENchoice Cove Base (28 oz)	3402	037083 03402 8	100 37083 03402 5	12	34.5	8.125	10.75	16.75	18	44	1518
	TB GREENchoice Cove Base (4 Gallon)	3404	0 37083 03404 2	N/A	1	48.95	12.5	12.5	13.75	18	36	1762.2
	TB GREENchoice Projects (10 oz)	4121	0 37083 04121 7	100 37083 04121 4	12	13.1	8.125	6.25	11.63	18	108	1414.8
	TB GREENchoice Fast-Grab FRP w/ Applicator (28 oz)	4052	0 37083 04052 4	100 37083 04052 1	12	34.63	8.25	10.75	16.5	24	44	1523.72
	TB GREENchoice Fast Grab FRP (4 Gallon)	4054	0 37083 04054 8	N/A	1	50.58	12.5	12.5	13.75	24	36	1820.88
	TB GREENchoice Fast Grab FRP (Gallon)	4056	0 37083 04056 2	100 37083 04056 9	2	24.7	15.75	8	8.5	24	75	1852.5
	TB GREENchoice Acoustical Ceiling Tile (4 Gallon)	2704	0 37083 02704 4	N/A	1	52.51	12.5	12.5	13.75	24	36	1890.36
	TB GREENchoice Acoustical Ceiling Tile (Gallon)	2706	0 37083 02706 8	100 37083 02706 5	2	25.66	13.25	6.75	7.563	24	75	1925.5
	TB GREENchoice Advanced Polymer Panel (3.5 Gallon)	4319	0 37083 04319 8	100 37083 04319 8	1	47.5	12.5	12.5	11.75	12	36	1710
TB GREENchoice Advanced Polymer Panel (6 - 1/2 Gallon Pouches)	4315	0 37083 04315 0	100 37083 04315 7	6	55.31	12.5	12.5	13.75	24	36	1991.16	
	TB Fast Set Polyurethane (10 oz)	4221	0 37083 04221 4	100 37083 04221 1	12	11.91	8.125	6.25	12	12	108	1286.28
	TB Fast Set Polyurethane (28 oz)	4222	0 37083 04222 1	100 37083 04222 8	12	32.23	8.125	10.75	16.75	12	44	1418.12
	TB TiteGrab Advanced Polymer (9.5 oz)	6701	0 37083 06701 9	100 37083 06701 6	12	13.64	6.5	8.25	9.5	12	132	1800.48